

DOSAGE SCHEDULES						
TYLENOL Every 4-6 Hours						
weight	Infant Drops	Liquid	Chewable	Jr. Strength		
	80mg/0.8cc	160mg/5cc	80mg tablet			
6-11#	Consult Doctor					
12-17#	0.8ml	1/2 tsp.	N/A	N/A		
18-23#	1.2ml	3/4 tsp	N/A	N/A		
24-35#	1.6ml	1tsp	2	N/A		
36-47#	N/A	1 & 1/2 tsp	3	N/A		
48-59#	N/A	2 tsp.	4	2 Tablets		
60-71#	N/A	2 & 1/2 tsp.	5	2 1/2 Tablets		
72-95#	N/A	3 tsp.	6	3 Tablets		
96# & over	N/A	N/A	N/A	4 Tablets		
TYLENOL: Do not give Tylenol to children younger than 4 months						
unless instructed by your physician.						
IBUPROFEN (Advil or Motrin)						
Every 6- 8 Hours						
Weight	Infant Drops	Children Liquid	Chewable	Jr. Chewable	Jr. Coated Tabs	Childrens Advil
	50mg/1.25cc	100mg/5ml	50mg	100mg	100mg	
< 12 Lbs.	Consult Doctor	N/A	N/A	N/A	N/A	N/A
12-17#	1.25 ml	1/2 tsp.	N/A	N/A	N/A	N/A
18-23#	1.875 ml	3/4 tsp.	N/A	N/A	N/A	N/A
24-35#	N/A	1 tsp.	2 Tablets	N/A	N/A	1 tsp.
36-47#	N/A	1 1/2 tsp.	3 Tablets	N/A	N/A	1 tsp.
48-59#	N/A	2 tsp.	4 Tablets	2 Tablets	2 Tablets	2 tsp.
60-71#	N/A	2 1/2 tsp.	5 Tablets	2 1/2 Tablets	2 Tablets	2 tsp.
72-95#	N/A	3 tsp.	6 Tablets	3 Tablets	3 Tablets	2 tsp.
MOTRIN: **NOT FOR CHILDREN UNDER 6 MONTHS OF AGE**						
BENADRYL Every 4-6 Hours						
Weight	Liquid	Chewable Tab.	Tablet 25 mg.			
	12.5mg/5ml					
11-16#	1/2 tsp.	Use Liquid	Use Liquid			
17-21#	3/4 tsp.	Use Liquid	Use Liquid			
22-32#	1 tsp.	1 Tablet	Use Liquid or Chews			
33-42#	1 1/2 tsp.	1 1/2 Tablet	Use Liquid or Chews			
43-53#	2 tsp.	2 Tablets	1 Tablet			
54-64#	2 1/2 tsp.	2 1/2 Tabs				
65-75#	3 tsp.	3 Tablets				
76-86#	3 1/2 tsp.	3 1/2 Tabs				
>86# +	4 tsp.	4 Tabs	2 Tablets			
BENADRYL: Do NOT use under 4 months of age UNLESS instructed by your physican.**						